


# Beefmaster SQUEEZE CHUTES



**ENGINEERED FOR EASE OF USE AND SAFETY FOR THE OPERATOR AND ANIMAL**  
**BEEFMASTER SQUEEZE CHUTES HELP TODAY'S CATTLE PRODUCER GET THE JOB**  
**DONE. DESIGNED WITH ALL CONTROLS IN ONE SPOT FOR QUICK AND EFFICIENT**  
**OPERATION PLUS FULL ACCESS WITH DROP DOWN BARS AND KICK PLATES MAKES**  
**HANDLING A BREEZE. DESIGNED FOR EVERYDAY USE AND POWDER-COATED FOR**  
**LONG LIFE, BEEFMASTER SQUEEZE CHUTES ARE BUILT TO LAST.**

#### **FEATURES INCLUDE:**

- All controls on front corner of chute for one-man operation.
- Retractable squeeze arm allows safe, unrestricted, movement around chute by operator.
- Steel cables synchronize headgate movement with 180 degree swing.
- Hinged dropbars on both sides of chute with foolproof gravity latches.
- Steel floor with floor cleats for sure footing.



**ACKERMAN** A  
SINCE 1969  
**DISTRIBUTING.COM**  
**800-726-9091**





# Beefmaster SQUEEZE CHUTES



## Beefmaster Standard 2311-111-000

The standard in cattle handling, the Beefmaster Squeeze Chute features easy one-man operation with controls at the front corner, self-catch head gate, drop down bars with gravity latches, kick plates for easy access, quick release side exit and scale ready.

### BEEFMASTER STANDARD SPECIFICATIONS

Length	92"
Width	41"
Height	78"
Weight	1265#



## Beefmaster XL Straight 2311-211-000

The Beefmaster XL Straight Squeeze Chute has all the well-designed features of the Standard Beefmaster but has extra length to accommodate larger animals. Full length sidegates have 5 dual dropbars with a 19" x 25" opening. Extra bracing compensates for extra length and guarantees structural strength that allows larger animals to be handled properly.

### BEEFMASTER XL STRAIGHT SPECIFICATIONS

Length	114"
Width	41"
Height	78"
Weight	1390#





### **Beefmaster XL-2VG** 2311-311-000

The Beefmaster XL-2VG has all the well-designed features of the Standard Beefmaster but has extra length to accommodate 22" rear entry gates on both sides for Palpating or AI Work.

#### **BEEFMASTER XL-2VG SPECIFICATIONS**

Length	114"
Width	41"
Height	78"
Weight	1390#

### **Hot-Dip Galvanization**

All Beefmaster Squeeze Chutes have the option to be Hot-Dip Galvanized for maximum long lasting rust resistance. Perfect for wetter or humid climates.



### **Palpation Cage** 2364-001-000

Gates have spring-loaded latches for positive locking in both cross alley and closed positions. Working area is an ample 32" x 44" size. When reversed, the WW Palpation Cage is an efficient sorting unit.

### **New Adjustable Palpation Cage**

2364-004-000

Safety and accessibility, the adjustable Palp Cage offers all the options veterinarians and stockman desire.





# Beefmaster Squeeze Chute ACCESSORIES



## Beefmaster Headgate

2321-011-000

The unique design of the Beefmaster Headgate allows the forward motion of the animal to actually help the operator secure the animal in the working position. Full length opening allows the animal to stand relaxed with no danger of choking. Neck and nose bars are available as an option to quickly and safely secure the animal's head. Headgate is 6' tall.



## Scissor Headgate

2321-021-000

A full width no obstruction headgate that allows operators to work cattle calmly and efficiently while eliminating the risk of injury. Suitable for horned cattle, the solid sheeted panels and no bottom cross bar focus the animal's view to the opening for consistent forward motion. The short stroke control handle provides the operator effortless control with the quick response needed to capture problem animals. The WW Scissor Headgate is fully interchangeable with the Beefmaster Headgate.



## Neck and Nose Bar

2321-001-000 neck

2321-013-000 nose

Optional Neck and Nose Bars quickly and safely secure the animal's head for de-horning, tagging, vaccinations and treating pinkeye. Easily attaches to the headgate and swings out of the way when not in use.



## Beefmaster Bifold Tailgate

2322-041-000


An optional Bifold Tailgate door can be installed on the entrance to the chute. Easily operated, this door allows for a wide opening top to bottom.



## Digi-Star Weighing System

SW4600EID Indicator

This advanced management indicator allows for both EID and Visual ID input with customizable display offering easy data collection.




SW7000-40", 7000 Cap.

This rugged weigh beam is designed to place under manual squeeze chutes. It is easy to install. No leveling adjustments necessary — just secure it. Unique design is accurate even on mild slopes.

## Beefmaster Yoke Trailer

2342-100-100

Make your Beefmaster Squeeze Chute portable! Quick to set up for travel and operation, the Beefmaster Yoke Trailer fits all WW Squeeze Chutes.



800-726-9091

