

HYDRAULIC CHUTES

W-W LIVESTOCK SYSTEMS

STANDARD FEATURES THAT MAKE W-W HYDRAULIC CHUTES A CUT ABOVE THE REST.

- All control arms and center squeeze bars are equipped with sealed pillow-block bearings.
- Fold down bars are saddle cut for extra strength and feature spring loaded latches.
- All bearings come equipped with grease zirks for easy maintenance.
- All chutes feature emergency side exit as standard equipment.
- Side drop door latch is located in center of drop door and activates latches on both ends simultaneously.
- Pressure gauge on all units reduces possibility of injury to animals.
- Super quiet hydraulic system greatly reduces possibility of "Noise Panic" by animals being worked.



ACKERMAN A
SINCE 1969
DISTRIBUTING.COM
800-726-9091





RANCHMASTER

Length: 101"

Height: 96"

Width: 83"

Dropbars: 25"

- Nylon bushings on headgate and tailgate.
- Hydraulic adjustment of lower sides.
- Center bar is 2" solid steel shaft with sealed bearings.
- Nylon wear plates on headgate.
- Emergency side exit.



RANCHMASTER 2VG

Length: 137"

Height: 96"

Width: 83"

Dropbars: 25"

Palp Door: 32" Opening

- Nylon bushings on headgate and tailgate.
- Hydraulic adjustment of lower sides.
- Center bar is 2" solid steel shaft with sealed bearings.
- Nylon wear plates on headgate.
- Emergency side exit.



HYDRAULIC CALF TABLE

- Will work calves up to 500 lbs.
- Available in Left or Right Hand Brand
- Easily transported on a standard W-W yoke trailer
- Power unit sold separately.



CUSTOMER SERVICE



INNOVATION

HYDRAULIC CHUTES



SUPER PRO

Length: 101"

Height: 96"

Width: 83"

Dropbars: 25"

- Super Sized" materials including 3 1/2" heavy wall frame and 2 1/2" heavy wall sides.
- UHMW bushings at gate bottoms.
- Hydraulic bottom adjustment.
- Headgate extensions
- Double wear plates on all gates.
- The stoutest chute in the industry designed specifically to withstand abuse sustained from feedlot processing and re-implanting.



BULLMASTER

Length: 117"

Height: 104"

Width: 89"

Dropbars: 31"

- Nylon bushings on bottom of headgate and tailgate.
- Hydraulic adjustment of lower side.
- Headgate extension.
- Emergency side exit.
- The biggest chute on the market designed to work the largest breeds in the beef industry.

CUSTOM CHUTES AVAILABLE




BUILT TO LAST



ACCESSORIES

OPTIONAL EQUIPMENT


- Hydraulic Head Bender
- Hydraulic Neck Bar
- Hydraulic Head Roller
- Hydraulic Leg Puller
- 3/4" Hot Roll Floor
- Head Gate Extensions-Weld On or Bolt On
- Gate Guards
- Dual Controls
- Dual Cylinders on Gates
- Yoke Trailer
- Palpation Cage
- Palpation Door
- Full Drop Door
- Split Drop Door
- Separate Unit
- Gas Powered Unit
- Single Drop Bars
- Tip Chute Assembly
- Two Piece Fall Out Floor
- Head Rest
- "New" Adjustable Gate Feet
- Louvers
- Commercial Tubs
- Bifold Headgate and Tailgate
- 50/50 Milk Door



Hydraulic Head Bender



Hydraulic Neck Bar



Tip Chute Assembly



Two Piece Fall Out Floor



Hydraulic Gate Guard

Louvers



Palpation Cage



Bifold Headgate and Tailgate



50/50 Milk Door



Adjustable Tailgate Gate Feet



3/4" Hot Roll Floor



Yoke Trailer

